

Puncture[®] free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

Motorcycles, Scooters, Mopeds, Enduros and Motocross

This chart lists most tyre sizes in order of RIM size. Pages 3 and 4 of this chart list tyre sizes that are COMMON or relate to specific motorcycle types.

| TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu | RIM Jante Llanta | OKO _{MLS} | TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu | RIM Jante Llanta | OKO _{MLS} | TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu | RIM Jante Llanta | OKO _{MLS} |
|--|------------------------|--------------------|--|------------------------|--------------------|--|------------------------|--------------------|
| 6 Inch Rims | | | 12 Inch Rims | | | 15 Inch Rims | | |
| 4.50 | 6 | 100 | 4.5 | 12 | 200 | M230 x 60 | 15 | 250 |
| 145 x 70 | 6 | 100 | 6.70 | 12 | 250 | M120 x 70 | 15 | 200 |
| 130 x 90 | 6 | 100 | 110 / 70 | 12 | 150 | M140 x 70 | 15 | 250 |
| 8 Inch Rims | | | M120 x 70 | 12 | 175 | M180 x 70 | 15 | 275 |
| 70 x 100 | 8 | 100 | M130 x 70 | 12 | 20 | M130 x 80 | 15 | 250 |
| 3.00 | 8 | 100 | 140 x 70 | 12 | 200 | M140 x 80 | 15 | 250 |
| 3.50 | 8 | 150 | M120 x 80 | 12 | 175 | M150 x 80 | 15 | 250 |
| 4.00 | 8 | 150 | M80 x 90 | 12 | 150 | M160 x 80 | 15 | 275 |
| 10 Inch Rims | | | M90 x 90 | 12 | 150 | M170 x 80 | 15 | 300 |
| 130 x 60 | 10 | 150 | M100 x 90 | 12 | 150 | M130 x 90 | 15 | 250 |
| 120 x 70 | 10 | 150 | M110 x 90 | 12 | 150 | M140 x 90 | 15 | 250 |
| M130 x 70 | 10 | 150 | M80 x 100 | 12 | 150 | M150 x 90 | 15 | 250 |
| M90 x 80 | 10 | 150 | M100 x 100 | 12 | 175 | MU90 | 15 | 250 |
| M100 x 80 | 10 | 150 | M110 x 100 | 12 | 175 | MV85 | 15 | 250 |
| M110 x 80 | 10 | 150 | 13 Inch Rims | | | MV90 | 15 | 250 |
| M120 x 80 | 10 | 150 | M130 x 60 | 13 | 200 | 2.50 | 15 | 125 |
| M80 x 90 | 10 | 100 | 140 x 60 | 13 | 200 | 2.75 | 15 | 125 |
| M90 x 90 | 10 | 100 | 120 x 70 | 13 | 200 | 5.10 | 15 | 250 |
| M100 x 90 | 10 | 150 | M130 x 70 | 13 | 200 | 16 Inch Rims | | |
| M110 x 90 | 10 | 150 | M150 x 70 | 13 | 225 | 240/35 | 16 | 350 |
| M120 x 90 | 10 | 150 | M110 x 90 | 13 | 200 | 260/35 | 16 | 400 |
| M130 x 90 | 10 | 150 | 14 Inch Rims | | | 280/35 | 16 | 400 |
| M80 x 100 | 10 | 100 | M140 x 60 | 14 | 200 | M240 x 50 | 16 | 350 |
| M90 x 100 | 10 | 100 | M160 x 60 | 14 | 250 | M150 x 60 | 16 | 250 |
| 2.50 | 10 | 100 | 120/70 | 14 | 225 | M180 x 60 | 16 | 275 |
| 2.75 | 10 | 100 | 140/70 | 14 | 225 | M200 x 60 | 16 | 300 |
| 3.00 | 10 | 125 | 150/70 | 14 | 250 | M120 x 70 | 16 | 200 |
| 3.50 | 10 | 150 | M120 x 80 | 14 | 200 | M130 x 70 | 16 | 225 |
| 4.00 | 100 | 150 | M180 x 80 | 14 | 300 | M170 x 70 | 16 | 275 |
| 5.40 | 10 | 200 | M90 x 90 | 14 | 150 | M180 x 70 | 16 | 300 |
| 6.70 | 10 | 250 | M60 x 100 | 14 | 100 | M80/80 | 16 | 175 |
| 11 Inch Rims | | | M90 x 100 | 14 | 150 | M90 x 80 | 16 | 175 |
| M235 x 8 | 11 | 250 | 2.25 | 14 | 100 | 100 x 80 | 16 | 200 |
| M245 x 8 | 11 | 250 | 2.50 | 14 | 125 | M110 x 80 | 16 | 200 |
| 12 Inch Rims | | | 2.75 | 14 | 125 | M120 x 80 | 16 | 200 |
| 3.00 | 12 | 125 | 3.00 | 14 | 150 | M130 x 80 | 16 | 200 |
| 3.50 | 12 | 150 | 3.60 | 14 | 175 | M140 x 80 | 16 | 225 |
| | | | | | | M150 x 80 | 16 | 250 |
| | | | | | | M160 x 80 | 16 | 275 |

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com

Puncture[®] free ANTI-PUNCTURE SEALANT

Application chart / Tableau Des Doses D'application
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

Motorcycles, Scooters, Mopeds, Enduros and Motocross

This chart lists most tyre sizes in order of RIM size. Pages 3 and 4 of this chart list tyre sizes that are COMMON or relate to specific motorcycle types.

| TYRE Size. | RIM | OKO MLS | TYRE Size. | RIM | OKO MLS | TYRE Size. | RIM | OKO MLS |
|----------------------|--------|---------|----------------------|--------|---------|----------------------|--------|---------|
| Taille du Pneu | Jante | | Taille du Pneu | Jante | | Taille du Pneu | Jante | |
| Tamano del neumatico | Llanta | | Tamano del neumatico | Llanta | | Tamano del neumatico | Llanta | |
| Dim. Pneumatico | | | Dim. Pneumatico | | | Dim. Pneumatico | | |
| Tamanho do Pneu | | | Tamanho do Pneu | | | Tamanho do Pneu | | |
| 16 Inch Rims | | | 17 Inch Rims | | | 18 Inch Rims | | |
| M80 x 90 | 16 | 175 | M120 x 65 | 17 | 225 | 240/35 | 18 | 350 |
| M90 x 90 | 16 | 175 | M100 x 70 | 17 | 200 | 260/35 | 18 | 400 |
| M100 x 90 | 16 | 200 | M110 x 70 | 17 | 225 | 280/35 | 18 | 450 |
| M110 x 90 | 16 | 200 | M120 x 70 | 17 | 250 | M300 x 35 | 18 | 450 |
| M120 x 90 | 16 | 200 | M130 x 70 | 17 | 250 | M240 x 40 | 18 | 400 |
| M130 x 90 | 16 | 225 | M140 x 70 | 17 | 250 | M250 x 40 | 18 | 400 |
| M140 x 90 | 16 | 250 | M150 x 70 | 17 | 275 | M180 x 50 | 18 | 300 |
| M80 x 100 | 16 | 175 | M160 x 70 | 17 | 300 | M180 x 55 | 18 | 300 |
| M90 x 100 | 16 | 200 | M180/70 | 17 | 350 | M200 x 55 | 18 | 350 |
| M130 x 100 | 16 | 225 | M90 x 80 | 17 | 200 | M130 x 60 | 18 | 250 |
| MR85 | 16 | 200 | M100 x 80 | 17 | 200 | M140 x 60 | 18 | 250 |
| MU85 | 16 | 200 | M120 x 80 | 17 | 225 | M150 x 60 | 18 | 300 |
| MT90 | 16 | 225 | M130 x 80 | 17 | 250 | M160 x 60 | 18 | 300 |
| MU90 | 16 | 250 | M140 x 80 | 17 | 250 | M170 x 60 | 18 | 325 |
| 2.00 | 16 | 100 | M150 x 80 | 17 | 275 | M180 x 60 | 18 | 325 |
| 2.25 | 16 | 125 | M160 x 80 | 17 | 300 | M120 x 70 | 18 | 250 |
| 2.50 | 16 | 125 | M70 x 90 | 17 | 150 | M130 x 70 | 18 | 250 |
| 2.75 | 16 | 125 | M80 x 90 | 17 | 175 | M140 x 70 | 18 | 275 |
| 3.00 | 16 | 150 | M90 x 90 | 17 | 200 | M150 x 70 | 18 | 300 |
| 3.50 | 16 | 150 | M100 x 90 | 17 | 200 | M160 x 70 | 18 | 300 |
| 4.25 | 16 | 200 | M110 x 90 | 17 | 225 | M100 x 80 | 18 | 200 |
| 4.60 | 16 | 225 | M120 x 90 | 17 | 250 | M110 x 80 | 18 | 225 |
| 5.00 | 16 | 250 | M130 x 90 | 17 | 250 | M120 x 80 | 18 | 250 |
| 17 Inch Rims | | | M70 x 100 | 17 | 150 | M130 x 80 | 18 | 250 |
| M300 x 40 | 17 | 400 | M100 x 100 | 17 | 200 | M140 x 80 | 18 | 275 |
| M160 x 50 | 17 | 250 | M110 x 100 | 17 | 250 | M150 x 80 | 18 | 300 |
| M180 x 50 | 17 | 300 | MS90 | 17 | 225 | M160 x 80 | 18 | 300 |
| M190 x 50 | 17 | 300 | MT90 | 17 | 225 | M90 x 90 | 18 | 200 |
| M200 x 50 | 17 | 350 | 2.00 | 17 | 100 | M100 x 90 | 18 | 225 |
| M160 x 55 | 17 | 300 | 2.25 | 17 | 125 | M110 x 90 | 18 | 225 |
| M170 x 55 | 17 | 300 | 2.50 | 17 | 150 | M120 x 90 | 18 | 250 |
| M180 x 55 | 17 | 300 | 3.00 | 17 | 175 | M130 x 90 | 18 | 275 |
| M190/55 | 17 | 325 | 3.25 | 17 | 175 | M100 x 100 | 18 | 200 |
| M120 x 60 | 17 | 200 | 3.50 | 17 | 200 | M110 x 100 | 18 | 275 |
| M130 x 60 | 17 | 250 | 3.75 | 17 | 200 | M120 x 100 | 18 | 275 |
| M140 x 60 | 17 | 250 | 4.50 | 17 | 225 | MT80 | 18 | 250 |
| M150 x 60 | 17 | 275 | 4.60 | 17 | 250 | MP85 | 18 | 250 |
| M160 x 60 | 17 | 300 | 5.00 | 17 | 275 | MS85 | 18 | 250 |
| M170 x 60 | 17 | 300 | 5.10 | 17 | 300 | MT85 | 18 | 250 |

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com

Puncture[®] free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

Motorcycles, Scooters, Mopeds, Enduros and Motocross

This chart lists most tyre sizes in order of RIM size. The REAR pages of this chart lists tyre sizes that are COMMON or relate to specific motorcycle types.

| TYRE Size. | RIM | OKO MLS | TYRE Size. | RIM | OKO MLS | TYRE Size. | RIM | OKO MLS |
|----------------------|--------|---------|----------------------|--------|---------|------------------------------------|--------|---------|
| Taille du Pneu | Jante | | Taille du Pneu | Jante | | Taille du Pneu | Jante | |
| Tamano del neumatico | Llanta | | Tamano del neumatico | Llanta | | Tamano del neumatico | Llanta | |
| Dim. Pneumatico | | | Dim. Pneumatico | | | Dim. Pneumatico | | |
| Tamanho do Pneu | | | Tamanho do Pneu | | | Tamanho do Pneu | | |
| 18 Inch Rims | | | 19 Inch Rims | | | The Harley Davidson | | |
| ML90 | 18 | 200 | 3.50 | 19 | 200 | MT90 | 16 | 225 |
| MM90 | 18 | 200 | 3.60 | 19 | 200 | M130 x 90 | 16 | 225 |
| MN90 | 18 | 250 | 4.00 | 19 | 225 | M130B x 90 | 16 | 250 |
| MP90 | 18 | 250 | 4.10 | 19 | 225 | M90 x 90 | 16 | 200 |
| MR90 | 18 | 250 | 20 Inch Rims | | | M100 x 90 | 19 | 225 |
| 2.25 | 18 | 125 | 3.00 | 20 | 200 | 90 x 90 | 21 | 225 |
| 2.50 | 18 | 125 | 21 Inch Rims | | | 3.00 | 21 | 200 |
| 2.75 | 18 | 150 | M80 x 80 | 21 | 175 | | | |
| 3.00 | 18 | 175 | M100 x 80 | 21 | 225 | Classic Moped | | |
| 3.25 | 18 | 175 | M80 x 90 | 21 | 175 | 2.75 x 46J | 16 | 150 |
| 3.50 | 18 | 200 | M90 x 90 | 21 | 225 | | | |
| 3.60 | 18 | 200 | M70 x 100 | 21 | 200 | Multi Use - Street and Dirt | | |
| 3.75 | 18 | 200 | M80 x 100 | 21 | 200 | 150 x 70 | 17 | 275 |
| 3.78 | 18 | 200 | MH90 | 21 | 225 | 130 x 80 | 17 | 250 |
| 4.00 | 18 | 225 | 2.50 | 21 | 175 | 140 x 80 | 17 | 250 |
| 4.10 | 18 | 225 | 2.75 | 21 | 200 | 120 x 90 | 17 | 250 |
| 4.25 | 18 | 225 | 3.00 | 21 | 200 | 5.10 | 17 | 300 |
| 4.50 | 18 | 250 | 3.25 | 21 | 200 | | | |
| 4.60 | 18 | 250 | 3.50 | 21 | 225 | 150 x 70 | 18 | 300 |
| 5.10 | 18 | 300 | 23 Inch Rims | | | 110 x 80 | 18 | 225 |
| 19 Inch Rims | | | 3.00 | 23 | 200 | 140 x 80 | 18 | 275 |
| M120 x 70 | 19 | 250 | | | | 120 x 90 | 18 | 250 |
| M110 x 80 | 19 | 275 | | | | 3.25 | 18 | 175 |
| M70 x 90 | 19 | 150 | | | | 3.50 | 18 | 200 |
| M90 x 90 | 19 | 200 | | | | 3.75 | 18 | 200 |
| M100 x 90 | 19 | 225 | | | | 3.78 | 18 | 200 |
| M110 x 90 | 19 | 250 | | | | 4.00 | 18 | 225 |
| M120 x 90 | 19 | 250 | | | | 4.10 | 18 | 225 |
| M70 x 100 | 19 | 175 | | | | | | |
| M90 x 100 | 19 | 200 | | | | 110 x 80 | 19 | 275 |
| M100 x 100 | 19 | 225 | | | | 100 x 90 | 19 | 225 |
| M110 x 100 | 19 | 250 | | | | | | |
| MJ90 | 19 | 200 | | | | 80 x 90 | 21 | 175 |
| ML90 | 19 | 200 | | | | 90 x 90 | 21 | 225 |
| MM90 | 19 | 200 | | | | 2.50 | 21 | 175 |
| 2.00 | 19 | 125 | | | | 2.75 | 21 | 200 |
| 2.50 | 19 | 150 | | | | 3.00 | 21 | 200 |
| 2.75 | 19 | 150 | | | | | | |
| 3.00 | 19 | 175 | | | | | | |

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com

Puncture[®] free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

Motorcycles, Scooters, Mopeds, Enduros and Motocross

This chart lists most tyre sizes in order of RIM size. The REAR pages of this chart lists tyre sizes that are COMMON or relate to specific motorcycle types.

| TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu | RIM Jante Llanta | OKO MLS | TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu | RIM Jante Llanta | OKO MLS | TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu | RIM Jante Llanta | OKO MLS |
|--|------------------------|---------|--|------------------------|---------|--|------------------------|---------|
| Scooter and Mopeds | | | Cross Ply - All Round Use | | | Legal Sports Tyre for Super Moto | | |
| 130 x 60 | 10 | 150 | 100 x 80 | 16 | 200 | M150 x 60 | 17 | 275 |
| 120 x 70 | 10 | 150 | 120 x 80 | 16 | 200 | M160 x 60 | 17 | 300 |
| 130 x 70 | 10 | 150 | 2.75 | 16 | 125 | M120 x 70 | 17 | 250 |
| 100 x 80 | 10 | 150 | | | | | | |
| 90 x 90 | 10 | 100 | 130 x 70 | 17 | 250 | Enduros and Scrambler | | |
| 100 x 90 | 10 | 150 | 90 x 80 | 17 | 200 | 150 x 70 | 17 | 275 |
| 120 x 90 | 10 | 150 | 100 x 80 | 17 | 200 | 130 x 80 | 17 | 250 |
| 130 x 90 | 10 | 150 | 110 x 80 | 17 | 225 | 140 x 80 | 17 | 250 |
| 3.50 | 10 | 100 | 120 x 80 | 17 | 250 | 120 x 90 | 17 | 250 |
| | | | 130 x 80 | 17 | 250 | | | |
| 120 x 70 | 12 | 175 | 140 x 80 | 17 | 250 | 110 x 100 | 18 | 275 |
| 130 x 70 | 12 | 200 | 80 x 90 | 17 | 175 | 4.10 | 18 | 225 |
| 140 x 70 | 12 | 200 | 130 x 90 | 17 | 250 | 4.25 | 18 | 225 |
| 110 x 90 | 12 | 150 | 2.50 | 17 | 150 | | | |
| | | | 2.75 | 17 | 175 | 110 x 80 | 19 | 275 |
| 130 x 60 | 13 | 200 | | | | 110 x 90 | 19 | 250 |
| 140 x 60 | 13 | 200 | 130 x 70 | 18 | 250 | | | |
| 120 x 70 | 13 | 200 | 150 x 70 | 18 | 300 | 90 x 90 | 21 | 225 |
| 130 x 70 | 13 | 200 | 110 x 80 | 18 | 225 | 2.50 | 21 | 175 |
| 150 x 70 | 13 | 250 | 130 x 80 | 18 | 250 | 2.75 | 21 | 200 |
| 110 x 90 | 13 | 200 | 90 x 90 | 18 | 200 | | | |
| | | | 100 x 90 | 18 | 225 | Sports Touring | | |
| 140 x 60 | 14 | 200 | 110 x 90 | 18 | 225 | M190 x 50 ZR | 17 | 300 |
| 120 x 70 | 14 | 225 | 120 x 90 | 18 | 250 | M180 x 55 ZR | 17 | 300 |
| 140 x 70 | 14 | 225 | 3.00 | 18 | 175 | M120 x 60 ZR | 17 | 200 |
| 150 x 70 | 14 | 250 | 3.50 | 18 | 200 | M130 x 60 XR | 17 | 250 |
| 110 x 80 | 14 | 200 | 4.00 | 18 | 225 | M140 x 60 ZR | 17 | 250 |
| 120 x 80 | 14 | 200 | | | | M150 x 60 ZR | 17 | 275 |
| 2.25 | 14 | 100 | | | | M160 x 60 ZR | 17 | 300 |
| 2.50 | 14 | 125 | | | | M170 x 60 ZR | 17 | 300 |
| 2.75 | 14 | 125 | | | | M110 x 70 ZR | 17 | 225 |
| 3.00 | 14 | 150 | | | | M120 x 70 | 17 | 250 |
| | | | | | | M130 x 70 | 17 | 250 |
| 2.50 | 15 | 125 | | | | M140 x 70 | 17 | 250 |
| 2.75 | 15 | 125 | | | | M150 x 70 | 17 | 275 |
| | | | | | | | | |
| 110 x 70 | 16 | 200 | | | | M160 x 60 | 18 | 300 |
| 140 x 70 | 16 | 225 | | | | M110 x 80 | 18 | 225 |
| | | | | | | | | |

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com